(1) GENERAL INFORMATION:

- (i) APPLICANT: ZEBEDEE, SUZANNE
 INCHAUSEPE, GENEVIEVE
 NASOFF, MARC S.
 PRINCE, ALFRED M.
 HELTING, TORSTEN B.
- (ii) TITLE OF INVENTION: METHODS AND SYSTEMS FOR PRODUCING RECOMBINANT VIRAL ANTIGENS
- (iii) NUMBER OF SEQUENCES: 29
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Kenyon & Kenyon

NUNN, MICHAEL F.

- (B) STREET: One Broadway
- (C) CITY: New York
- (D) STATE: NY
- (E) COUNTRY: USA
- (F) ZIP: 10004
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy Disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: WordPerfect 6.1 (ASCII text)
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: not yet assigned
 - (B) FILING DATE: concurrent herewith
 - (C) CLASSIFICATION: not yet assigned
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US08/563,733
 - (B) FILING DATE: 28-NOV-1995

- (A) APPLICATION NUMBER: US08/049,531
- (B) FILING DATE: 20-APR-1993
- (A) APPLICATION NUMBER: US07/344,237
- (B) FILING DATE: 26-APR-1989
- (A) APPLICATION NUMBER: US07/191,229
- (B) FILING DATE: 06-MAY-1988
- (A) APPLICATION NUMBER: US07/206,499
- (B) FILING DATE: 13-JUN-1988
- (A) APPLICATION NUMBER: US07/258,016
- (B) FILING DATE: 14-OCT-1988
- (A) APPLICATION NUMBER: US08/272,271
- (B) FILING DATE: 08-JUL-1994
- (A) APPLICATION NUMBER: US07/616,369
- (B) FILING DATE: 21-NOV-1990
- (A) APPLICATION NUMBER: US07/573,643
- (B) FILING DATE: 27-AUG-1990

(viii) ATTORNEY/AGENT INFORMATION (O):

- (A) NAME: M. Lisa Wilson, Esq.
- (B) REGISTRATION NUMBER: 34,045
- (C) REFERENCE/DOCKET NUMBER: 55467/69

(ix) TELECOMMUNICATION INFORMATION (O)

- (A) TELEPHONE: (212)908-6366
- (B) TELEFAX: (212)425-5288
- (C) TELEX:

(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: Genomic DNA	
(iii) HYPOTHETICAL: no	
(iv) ANTI-SENSE: no	
(ix) FEATURE:	
(A) NAME/KEY: CDS	
(B) LOCATION: 16-789	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:	
AGGAGGGTTT TTCAT ATG CCA ATC GTG CAG AAC ATC CAG GGG CAA ATG GTA	53
Met Pro Ile Val Gln Asn Ile Gln Gly Gln Met Val	J.
5 10	
CAT CAG GCC ATA TCA CCT AGA ACT TTA AAT GCA TGG GTA AAA GTA GTA	99
His Gln Ala Ile Ser Pro Arg Thr Leu Asn Ala Trp Val Lys Val Val	
15 20 25	
GAA GAG AAC COM MMG AGG GAA	
GAA GAG AAG GCT TTC AGC CCA GAA GTG ATA CCC ATG TTT TCA GCA TTA 1	.47
Glu Glu Lys Ala Phe Ser Pro Glu Val Ile Pro Met Phe Ser Ala Leu	
35 40	
TCA GAA GGA GCC ACC CCA CAA GAT TTA AAC ACC ATG CTA AAC ACA GTG	
Ser Glu Gly Ala Thr Pro Gln Asp Leu Asn Thr Met Leu Asn Thr Val	95
10	
55 60	

INFORMATION FOR SEQ ID NO:1:

SEQUENCE CHARACTERISTICS:

LENGTH: 795 base pairs

TYPE: nucleic acid

(2)

(i)

(A)

(B)

																and the second s
GGG	GGA	CA	CAA	GCA	GCC	: ATG	CAA	ATG	TTA	AAA	GAG	ACC	ATC	CAA:	GAG	243
Gly	Gly	His	s Gln	Ala	Ala	Met	Gln	Met	Leu	Lys	: Glu	Thr	Ile	Asn	Glu	
				65					70					75		
GAA	GCT	GC	A GAA	TGG	GAT	' AGA	GTG	CAT	CCA	GTG	CAT	GCA	GGG	CCT	ATT	291
Glu	Ala	Ala	Glu	Trp	Asp	Arg	Val	His	Pro	Val	His	Ala	Gly	Pro	Ile	
			80					85			•		90			
			CAG													339
Ala	Pro	Gly	Gln	Met	Arg	Glu	Pro	Arg	Gly	Ser	Asp	Ile	Ala	Gly	Thr	
		95	-				100					105				
								•								
			CTT													387
Thr		Thr	Leu	Gln	Glu		Ile	Gly	Trp	Met	Thr	Asn	Asn	Pro	Pro	
	110					115					120					
								•								
			GGA													435
	Pro	Val	Gly	GIu		Tyr	Lys	Arg	Trp		Ile	Leu	Gly	Leu	Asn	
125					130					135					140	
777	ארווא	C/III N	202	3 mc												
			AGA													483
гуѕ	тте	vai	Arg		Tyr	ser	Pro	Thr		He	Leu	Asp	Ile	_	Gln	
				145					150					155		
GGA	CCA	AAG	GAA	CCC	Դ	אכא	CAC	ייי אייי	CTA	CAC	CCC	mm c	m a m		3 Cm	50-
			Glu													531
1		-75	160			my	тэр	165	Vai	Asp	Arg	PHE	171 170	гÀг	Inr	
			100					105					170			
CTA	AGA	GCC	GAG	CAA	GCT	TCA	CAG	GAG	СТА	ααα	አ ልጥ	тсс	ልጥር	እ ር አ	מאא	E70
			Glu													579
	J	175					180	014	•	2,5	rigii	185	Mec	1111	Giu	
		-										100				
ACC	TTG	TTG	GTC	CAA	AAT	GCG	AAC	CCA	GAT	TGT	AAG	АСТ	ΑͲͲ	αጥπ	ΔΔΔ	627
			Val													021
	190					105				-1-	_,_			u	273	

GCA	TTG	GGA	CCA	GCG	GCT	ACA	CTA	GAA	GAA	ATG	ATG	ACA	GCA	TGT	CAG	675
Ala	Leu	Gly	Pro	Ala	Ala	Thr	Leu	Glu	Glu	Met	Met	Thr	Ala	Cys	Gln	
205					210					215					220	
			•										-			
GGA	GTA	GGA	GGA	CCC	AAA	AAT	CAA	CAA	TTA	TTA	TCC	TTA	TGG	GGG	TGT	723
Gly	Val	Gly	Gly	Pro	Lys	Asn	Gln	Gln	Leu	Leu	Ser	Leu	Trp	Gly	Cys	
				225					230					235		
AAA	GGG	AAA	CTT	GTT	TGT	TAT	ACT	TCC	GTT	AAA	TGG	AAT	GGA	CCC	GGC	771
Lys	Gly	Lys	Leu	Val	Cys	Tyr	Thr	Ser	Val	Lys	Trp	Asn	Gly	Pro	Gly	
			240					245					250		_	
CAT	AAG	GCA	AGA	GTT	TTG	TAA	TAA	79	5							
His	Lys	Ala	Arg	Val	Leu											

(2) INFORMATION FOR SEQ ID NO:2:

255

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 258 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Pro Ile Val Gln Asn Ile Gln Gly Gln Met Val His Gln Ala Ile 5 10 15

Ser Pro Arg Thr Leu Asn Ala Trp Val Lys Val Val Glu Glu Lys Ala 20 25 30

Phe Ser Pro Glu Val Ile Pro Met Phe Ser Ala Leu Ser Glu Gly Ala 35 40 45

Thr Pro Gln Asp Leu Asn Thr Met Leu Asn Thr Val Gly Gly His Gln 50 60

Ala Ala Met Gln Met Leu Lys Glu Thr Ile Asn Glu Glu Ala Ala Glu 65 70 75 80

Trp Asp Arg Val His Pro Val His Ala Gly Pro Ile Ala Pro Gly Gln 85 90 95

Met Arg Glu Pro Arg Gly Ser Asp Ile Ala Gly Thr Thr Ser Thr Leu 100 105 110

Gln Glu Gln Ile Gly Trp Met Thr Asn Asn Pro Pro Ile Pro Val Gly
115 120 125

Glu Ile Tyr Lys Arg Trp Ile Ile Leu Gly Leu Asn Lys Ile Val Arg 130 135 140

Met Tyr Ser Pro Thr Ser Ile Leu Asp Ile Arg Gln Gly Pro Lys Glu 145 150 155 160

Pro Phe Arg Asp Tyr Val Asp Arg Phe Tyr Lys Thr Leu Arg Ala Glu 165 170 175

Gln Ala Ser Gln Glu Val Lys Asn Trp Met Thr Glu Thr Leu Leu Val 180 185 190

Gln Asn Ala Asn Pro Asp Cys Lys Thr Ile Leu Lys Ala Leu Gly Pro 195 200 205

Ala Ala Thr Leu Glu Glu Met Met Thr Ala Cys Gln Gly Val Gly Gly 210 220

Pro Lys Asn Gln Gln Leu Leu Ser Leu Trp Gly Cys Lys Gly Lys Leu 225 230 235 240

Val Cys T	yr Thr Ser Va	l Lys Trp Asr	Gly Pro	Glv His	Lvs Ala Arg	
	245		250	2	255	
					233	
Val Leu						
(2) INF	ORMATION FOR	SEQ ID NO:3:				
(i)	SEQUENCE CHAR	ACTERISTICS:				
		795 base pa	irs			
		nucleic acid				
	(C) STRANDE		۵			
		Y: linear	_			
(ii) I	MOLECULE TYPE:	Genomic DNA				٠
(iii) H	HYPOTHETICAL:	no				
(iv) A	ANTI-SENSE: no					
, _ ,						
(ix) F	EATURE:					
	(A) NAME/KE	Y: CDS				
		N: 16-789				
					-	
(xi) S	EQUENCE DESCR	IPTION: SEQ I	D NO:3:			
AGGAGGGTTT	TTCAT ATG CC	A ATC GTG CAG	AAC ATC	CAG GGG	CAA ATG GTA	51
		o Ile Val Gln				
		5		-	10	
CAT CAG GC	C ATA TCA CCT	AGA ACT TTA	AAT GCA T	GG GTA A	AAA GTA GTA	99
	a Ile Ser Pro					
15		20		25	-	

GAA GAG AAG GCT TTC AGC CCA GAA GTG ATA CCC ATG TTT TCA GCA TTA

Glu Glu Lys Ala Phe Ser Pro Glu Val Ile Pro Met Phe Ser Ala Leu

TCA	GAA	A GG	A GCC	ACC	CCA	CAA	GAT	TTA	AAC	C ACC	ATC	CTA	AA A	C ACA	A GTG	195
Ser	Glu	ı Gly	/ Ala	Thr	Pro	Gln	Asp	Let	ı Asr	1 Thi	Met	Leu	ı Asr	n Thr	. Val	
45					50					55					60	
GGG	GGA	CAT	CAA	GCA	GCC	ATG	CAA	ATG	TTA	AAA	GAG	ACC	ATO	CAA C	GAG	243
Gly	Gly	His	Gln	Ala	Ala	Met	Gln	Met	. Leu	Lys	Glu	Thr	Ile	Asn	Glu	
				65					70					75		
GAA	GCT	GCA	GAA	TGG	GAT	AGA	GTG	CAT	CCA	GTG	CAT	GCA	GGG	CCT	ATT	291
Glu	Ala	Ala	Glu	Trp	Asp	Arg	Val	His	Pro	Val	His	Ala	Gly	Pro	Ile	
			80					85					90			
			CAG													339
Ala	Pro		Gln	Met	Arg	Glu	Pro	Arg	Gly	Ser	Asp	Ile	Ala	Gly	Thr	
		95					100					105				
			CTT													387
Thr		Thr	Leu	Gln	Glu	Gln	Ile	Gly	Trp	Met	Thr	Asn	Asn	Pro	Pro	
	110					115					120					
			GGA													435
	Pro	vaı	Gly	Glu		Tyr	Lys	Arg	Trp		Ile	Leu	Gly	Leu		
125					130					135					140	
			AGA													483
гàг	He	Val	Arg		Tyr	Ser	Pro	Thr		Ile	Leu	Asp	Ile	Arg	Gln	
				145					150					155		
			GAA													531
Gly	Pro	Lys	Glu	Pro	Phe	Arg	Asp	Tyr	Val	Asp	Arg	Phe	Tyr	Lys	Thr	
			160					165					170			
			GAG													579
Leu	Arg	Ala	Glu	Gln	Ala	Ser	Gln	Glu	Val	Lys	Asn	Trp	Met	Thr	Glu	
		175					180					185				

ACC TTG			CAA	AAT	GCG	AAC	CCA	GAT	TGT	AAG	ACT	TTA	מידית	מממ	627
ml r	Leu	_												TOTA	02/
Thr Leu		Val	Gln	Asn	Ala	Asn	Pro	Asp	Cys	Lys	Thr	Ile	Leu	Lys	
190					195					200					
GCA TTG															675
Ala Leu	GIY	Pro	Ala		Thr	Leu	Glu	Glu		Met	Thr	Ala	Cys	Gln	
205				210					215					220	
GGA GTA	GGA	GGA	CCC	AAA	ААТ	CAA	CAA	AGA	מידים	ייממ	מידים	TGG	CCC	TOT	723
Gly Val															123
_	-	•	225	4				230	Lu	11011	Deu	11p	235	СуЗ	
AAA GGG	AAA	CTT	ATT	TGT	TAT	ACT	TCC	GTT	AAA	TGG	AAT	GGA	CCC	GGC	771
Lys Gly	Lys	Leu	Ile	Cys	Tyr	Thr	Ser	Val	Lys	Trp	Asn	Gly	Pro	Gly	
		240					245					250			
G1. T. 1. G															
CAT AAG					TAA	TAA	79	5							
His Lys	Ala	Arg	vaı	Leu											
(2) IN	IFORM	ATIO	N FO	R SE	O ID	NO:	4 -								
					×		•								
(i)	SEQ	UENC:	E CH	ARAC	TERI	STIC	S:								
	(A) :	LENG'	TH:	258	amin	o ac	ids					_		
	(B) '	TYPE	: am	ino a	acid									
	(D) '	TOPO:	LOGY	: li	near									
(ii)	MOL.	ECULI	E TY	PE: 1	prote	ein									
(xi)	SEO	JENCI	2 DEG	SCD TI	יירית	J. CI	70 TT) NTO	. 4 .						
(A.L.)	CHQ(CLINCI	- DEG	JUKII	- 1101	v: DI	זו אַנ	טא כ	:4:						
Met Pro 1	Ile V	Val (3ln <i>1</i>	Asn I	(le (3ln (Glv (aln N	Met 1	/al F	lis (iln 1	ו בוג	[] ₀	

Ser Pro Arg Thr Leu Asn Ala Trp Val Lys Val Val Glu Glu Lys Ala

- Phe Ser Pro Glu Val Ile Pro Met Phe Ser Ala Leu Ser Glu Gly Ala 35 40 45
- Thr Pro Gln Asp Leu Asn Thr Met Leu Asn Thr Val Gly Gly His Gln 50 55 60
- Ala Ala Met Gln Met Leu Lys Glu Thr Ile Asn Glu Glu Ala Ala Glu 65 70 75 80
- Trp Asp Arg Val His Pro Val His Ala Gly Pro Ile Ala Pro Gly Gln
 85 90 95
- Met Arg Glu Pro Arg Gly Ser Asp Ile Ala Gly Thr Thr Ser Thr Leu 100 105 110
- Gln Glu Gln Ile Gly Trp Met Thr Asn Asn Pro Pro Ile Pro Val Gly
 115 120 125
- Glu Ile Tyr Lys Arg Trp Ile Ile Leu Gly Leu Asn Lys Ile Val Arg 130 135 140
- Met Tyr Ser Pro Thr Ser Ile Leu Asp Ile Arg Gln Gly Pro Lys Glu
 145 150 155 160
- Pro Phe Arg Asp Tyr Val Asp Arg Phe Tyr Lys Thr Leu Arg Ala Glu 165 170 175
- Gln Ala Ser Gln Glu Val Lys Asn Trp Met Thr Glu Thr Leu Leu Val 180 185 190
- Gln Asn Ala Asn Pro Asp Cys Lys Thr Ile Leu Lys Ala Leu Gly Pro 195 200 205
- Ala Ala Thr Leu Glu Glu Met Met Thr Ala Cys Gln Gly Val Gly Gly 210 220

Pro Lys Asn Gln Gln Arg Leu Asn Leu Trp Gly Cys Lys Gly Lys Leu 225 230 235 240

Ile Cys Tyr Thr Ser Val Lys Trp Asn Gly Pro Gly His Lys Ala Arg
245 250 255

Val Leu

- (2) INFORMATION FOR SEQ ID NO:5:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 795 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: Genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 16-789
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:
- AGGAGGGTTT TTCAT ATG CCA ATC GTG CAG AAC ATC CAG GGG CAA ATG GTA 51

 Met Pro Ile Val Gln Asn Ile Gln Gly Gln Met Val

 5 10
- CAT CAG GCC ATA TCA CCT AGA ACT TTA AAT GCA TGG GTA AAA GTA GTA 99
 His Gln Ala Ile Ser Pro Arg Thr Leu Asn Ala Trp Val Lys Val Val
 15 20 25

GA.	A GAC	AA E	G GC	r TTC	C AGO	CCZ	A GAZ	A GT	G AT	A CC	CATO	TTT	r TC	A GC	ATT A	147
Glu	ı Glı	ı Lys	s Ala	a Phe	e Ser	Pro	o Glu	ע Va	l Ile	e Pro	o Met	: Phe	e Sei	c Ala	a Leu	
	30					35					40					
TI C 7													•			
															A GTG	195
	GIU	GIY	Ala	ı Thr		GIR	Asp	Leu	ı Asr		Met	Leu	Asr	Thr	· Val	
45					50					55					60	
GGG	GGA	CAT	' CAA	GCA	GCC	ATG	CAA	ATG	TTA	AAA	GAG	ACC	' ATC	יממ'	' GAG	243
															Glu	243
				65					70					75	. Olu	
															ATT	291
Glu	Ala	Ala	Glu	Trp	Asp	Arg	Val	His	Pro	Val	His	Ala	Gly	Pro	Ile	
			80					85					90			
CCA	CCA	CCC	CAC	3 ma	202	<i>a</i>										
											GAC					339
АІА	PIO	95	GIII	мес	Arg	GIU		Arg	GIY	Ser	Asp		Ala	Gly	Thr	
		23					100					105				
ACT	AGT	ACC	CTT	CAG	GAA	CAA	ATA	GGA	TGG	ATG	ACA	ААТ	ААТ	CCA	ССТ	387
											Thr					307
	110					115		_	-		120					
											ATC					435
	Pro	Val	Gly	Glu	Ile	Tyr	Lys	Arg	Trp	Ile	Ile	Leu	Gly	Leu	Asn	
125					130					135					140	
AAA	מדמ	СТА	מממ	ል ጥር	ייעעיי	N.C.C	CCT	A CC	700	3 CCC	OTT C	G > G				
											CTG Leu					483
-1 -			••••	145	-7-		110	1111	150	TIE	Leu	Asp	TTE		GIN	
														155		
GGA	CCA	AAG	GAA	CCC	TTT	AGA	GAC	TAT	GTA	GAC	CGG	TTC	TAT	AAA	ACT	531
											Arg					
			160					165		_	_		170	-		

CTA	AGA	GCC	GAG	CAA	GCT	TCA	CAG	GAG	GTA	AAA	AAT	TGG	ATG	ACA	GAA	579
Leu	Arg	Ala	Glu	Gln	Ala	Ser	Gln	Glu	Val	Lys	Asn	Trp	Met	Thr	Glu	
		175					180					185				
													,			
ACC	TTG	TTG	GTC	CAA	AAT	GCG	AAC	CCA	GAT	TGT	AAG	ACT	ATT	TTA	AAA	627
Thr	Leu	Leu	Val	Gln	Asn	Ala	Asn	Pro	Asp	Cys	Lys	Thr	Ile	Leu	Lys	
	190					195					200				•	
GCA	TTG	GGA	CCA	GCG	GCT	ACA	CTA	GAA	GAA	ATG	ATG	ACA	GCA	TGT	CAG	675
Ala	Leu	Gly	Pro	Ala	Ala	Thr	Leu	Glu	Glu	Met	Met	Thr	Ala	Cys	Gln	
205					210					215				-	220	
GGA	GTA	GGA	GGA	CCA	CAA	AAT	CAA	CAA	CTT	TTA	AAT	TTA	TGG	GGG	TGT	723
												Leu				
				225					230				_	235	•	
AGA	GGG	AAA	GCT	ATT	TGT	TAT	ACT	TCC	GTT	CAA	TGG	AAT	GGA	CCC	GGC	771
												Asn				
			240					245			-		250		1	
			•													
CAT	AAG	GCA	AGA	GTT	TTG	TAA	TAA	79	5							
His	Lys	Ala	Arq	Val	Leu											

(2) INFORMATION FOR SEQ ID NO:6:

255

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 258 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Met Pro Ile Val Gln Asn Ile Gln Gly Gln Met Val His Gln Ala Ile

5 10 15

Ser Pro Arg Thr Leu Asn Ala Trp Val Lys Val Val Glu Glu Lys Ala 20 25 30

Phe Ser Pro Glu Val Ile Pro Met Phe Ser Ala Leu Ser Glu Gly Ala 35 40 45

Thr Pro Gln Asp Leu Asn Thr Met Leu Asn Thr Val Gly Gly His Gln 50 55 60

Ala Ala Met Gln Met Leu Lys Glu Thr Ile Asn Glu Glu Ala Ala Glu 65 70 75 80

Trp Asp Arg Val His Pro Val His Ala Gly Pro Ile Ala Pro Gly Gln
85 90 95

Met Arg Glu Pro Arg Gly Ser Asp Ile Ala Gly Thr Thr Ser Thr Leu 100 105 110

Gln Glu Gln Ile Gly Trp Met Thr Asn Asn Pro Pro Ile Pro Val Gly
115 120 125

Glu Ile Tyr Lys Arg Trp Ile Ile Leu Gly Leu Asn Lys Ile Val Arg 130 135 140

Met Tyr Ser Pro Thr Ser Ile Leu Asp Ile Arg Gln Gly Pro Lys Glu 145 150 155 160

Pro Phe Arg Asp Tyr Val Asp Arg Phe Tyr Lys Thr Leu Arg Ala Glu 165 170 175

Gln Ala Ser Gln Glu Val Lys Asn Trp Met Thr Glu Thr Leu Leu Val 180 185 190

Gln Asn Ala Asn Pro Asp Cys Lys Thr Ile Leu Lys Ala Leu Gly Pro

195 200 205

Ala Ala Thr Leu Glu Glu Met Met Thr Ala Cys Gln Gly Val Gly Gly 210 220

Pro Gln Asn Gln Gln Leu Leu Asn Leu Trp Gly Cys Arg Gly Lys Ala 225 230 235 240

Ile Cys Tyr Thr Ser Val Gln Trp Asn Gly Pro Gly His Lys Ala Arg
245 250 255

Val Leu

- (2) INFORMATION FOR SEQ ID NO:7:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 378 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: Genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 16-375
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

AGGAGGGTTT TTCAT ATG AGC ACG ATT CCC AAA CCT CAA AGA AAA ACC AAA 51

Met Ser Thr Ile Pro Lys Pro Gln Arg Lys Thr Lys

5 10

CGT	AAC	ACC	AAC	CGT	. CGC	CCA	CAG	GAC	GTC	AAG	TTC	CCG	GGT	GGC	GGT	99
Arg	Asn	Thr	Asn	Arg	Arg	Pro	Gln	Asp	Val	Lys	Phe	Pro	Gly	Gly	Gly	
		15					20					25				
CAG	ATC	GTT	GGT	GGA	GTT	TAC	TTG	TTG	CCG	CGC	AGG	GGC	CCT	AGA	TTG	147
Gln	Ile	Val	Gly	Gly	Val	Tyr	Leu	Leu	Pro	Arg	Arg	Gly	Pro	Arg	Leu	
	30					35					40					
GGT	GTG	CGC	GCG	ACG	AGG	AAG	ACT	TCC	GAG	CGG	TCG	CAA	CCT	CGA	GGT	195
Gly	Val	Arg	Ala	Thr	Arg	Lys	Thr	Ser	Glu	Arg	Ser	Gln	Pro	Arg	Gly	
45					50					55					60	
AGA	CGT	CAG	CCT	ATC	CCC	AAG	GTG	CGT	CGG	CCG	GAG	GGC	AGG	ACC	TGG	243
Arg	Arg	Gln	Pro	Ile	Pro	Lys	Val	Arg	Arg	Pro	Glu	Gly	Arg	Thr	Trp	
				65					70					75		
		•														
GCT	CAG	CCC	GGG	TAC	CCT	TGG	CCC	CTC	TAT	GGC	AAT	GAG	GGT	TGC	GGG	291
Ala	Gln	Pro	Gly	Tyr	Pro	Trp.	Pro	Leu	Tyr	Gly	Asn	Glu	Gly	Cys	Gly	
			80					85					90			
											•					
TGG	GCG	GGA	TGG	CTC	CTG	TCT	CCC	CGT	GGC	TCT	CGG	CCT	AGC	TGG	GGC	339
Trp	Ala	Gly	Trp	Leu	Leu	Ser	Pro	Arg	Gly	Ser	Arg	Pro	Ser	Trp	Gly	
		95					100					105				
CCC	ACA	GAC	CCC	CGG	CGT	AGG	TCG	CGC	AAT	TTG	GGT	TAA	37	8		
Pro	Thr	Asp	Pro	Arg	Arg	Arg	Ser	Arg	Asn	Leu	Gly					
	110					115					120					

(2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 120 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Met Ser Thr Ile Pro Lys Pro Gln Arg Lys Thr Lys Arg Asn Thr Asn
5 10 15

Arg Arg Pro Gln Asp Val Lys Phe Pro Gly Gly Gln Ile Val Gly
20 25 30

Gly Val Tyr Leu Leu Pro Arg Gly Pro Arg Leu Gly Val Arg Ala 35 40 45

Thr Arg Lys Thr Ser Glu Arg Ser Gln Pro Arg Gly Arg Arg Gln Pro 50 55 60

Ile Pro Lys Val Arg Pro Glu Gly Arg Thr Trp Ala Gln Pro Gly
75 80

Tyr Pro Trp Pro Leu Tyr Gly Asn Glu Gly Cys Gly Trp Ala Gly Trp 85 90 95

Leu Leu Ser Pro Arg Gly Ser Arg Pro Ser Trp Gly Pro Thr Asp Pro
100 105 110

Arg Arg Ser Arg Asn Leu Gly 115 120

- (2) INFORMATION FOR SEQ ID NO:9:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 378 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: Genomic DNA

	(iv)	AN	TI-S	ENSE	: no	•										
	(ix)	FE	ATUR	E:												
		(A)	NAM	E/KE	Y: C	DS									
		(B)		•	N: 1		5								
	(xi)	SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:9:						
AGG.	AGGG	$\mathbf{T}\mathbf{T}\mathbf{T}$	TTCA	т ат	G AG	C AC	G AT	т сс	C AA	A CC	т са	A AG	A A A	A AC	C AAA	51
															r Lys	31
								5	1		0 01	•• •••	3 -7 10		ı Dyo	
CGT	AAC	ACC	AAC	CGT	CGC	CCA	CAG	GAC	GTC	AAG	TTC	CCG	GGT	GGC	GGT	99
				Arg												
		15			_		20	•		•		25	•	-	2	
CAG	ATC	GTT	GGT	GGA	GTT	TAC	TTG	TTG	CCG	CGC	AGG	GGC	CCT	AGA	TTG	147
Gln	Ile	Val	Gly	Gly	Val	Tyr	Leu	Leu	Pro	Arg	Arg	Gly	Pro	Arg	Leu	
	30					35					40					
GGT	GTG	CGC	GCG	ACG	AGG	AAG	ACT	TCC	GAG	CGG	TCG	CAA	CCT	CGA	GGT	195
Gly	Val	Arg	Ala	Thr	Arg	Lys	Thr	Ser	Glu	Arg	Ser	Gln	Pro	Arg	Gly	
45					50					55					60	
AGA	CGT	CAG	CCT	ATC	CCC	AAG	GCA	CGT	CGG	CCC	GAG	GGC	AGG	ACC	TGG	243
Arg	Arg	Gln	Pro	Ile	Pro	Lys	Ala	Arg	Arg	Pro	Glu	Gly	Arg	Thr	Trp	
				65				•	70					75		
								•								
GCT	CAG	CCC	GGG	TAC	CCT	TGG	CCC	CTC	TAT	GGC	AAT	GAG	GGT	TGC	GGG	291
Ala	Gln	Pro	Gly	Tyr	Pro	Trp	Pro	Leu	Tyr	Gly	Asn	Glu	Gly	Cys	Gly	
			80					85					90			
mee	000	~~~	mee													
				CTC												339
Trp	Ala	GIY	Trp	Leu	Leu	Ser	Pro	Arg	Gly	Ser	Arg	Pro	Ser	Trp	Gly	

(iii) HYPOTHETICAL: no

100

CCC ACA GAC CCC CGG CGT AGG TCG CGC AAT TTG GGT TAA 378

Pro Thr Asp Pro Arg Arg Ser Arg Asn Leu Gly

110 115 120

105

(2) INFORMATION FOR SEQ ID NO:10:

95

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 120 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear.
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Met Ser Thr Ile Pro Lys Pro Gln Arg Lys Thr Lys Arg Asn Thr Asn 5 10 15

Arg Arg Pro Gln Asp Val Lys Phe Pro Gly Gly Gln Ile Val Gly
20 25 30

Gly Val Tyr Leu Leu Pro Arg Gly Pro Arg Leu Gly Val Arg Ala
35 40 45

Thr Arg Lys Thr Ser Glu Arg Ser Gln Pro Arg Gly Arg Arg Gln Pro 50 55 60

Ile Pro Lys Ala Arg Arg Pro Glu Gly Arg Thr Trp Ala Gln Pro Gly
70 75 80

Tyr Pro Trp Pro Leu Tyr Gly Asn Glu Gly Cys Gly Trp Ala Gly Trp 85 90 95

Leu Leu Ser Pro Arg Gly Ser Arg Pro Ser Trp Gly Pro Thr Asp Pro

100	105	110
		<u> </u>

Arg Arg Ser Arg Asn Leu Gly
115 120

- (2) INFORMATION FOR SEQ ID NO:11:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 378 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear.
 - (ii) MOLECULE TYPE: Genomic DNA
 - (iii) HYPOTHETICAL: no
 - (iv) ANTI-SENSE: no
 - (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 16-375
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:
- AGGAGGGTTT TTCAT ATG AGC ACG ATT CCC AAA CCT CAA AGA AAA ACC AAA 51

 Met Ser Thr Ile Pro Lys Pro Gln Arg Lys Thr Lys

 5 10
- CGT AAC ACC AAC CGT CGC CCA CAG GAC GTC AAG TTC CCG GGT GGC GGT
 Arg Asn Thr Asn Arg Arg Pro Gln Asp Val Lys Phe Pro Gly Gly Gly
 15 20 25
- CAG ATC GTT GGT GGA GTT TAC TTG TTG CCG CGC AGG GGC CCT AGA TTG 147 Gln Ile Val Gly Gly Val Tyr Leu Leu Pro Arg Arg Gly Pro Arg Leu 30 35 40

GGT	GTG	CGC	GCG	ACG	AGG	AAG	ACT	TCC	GAG	CGG	TCG	CAA	ССТ	CGA	GGT	195
		Arg														273
45					50					55				J	60	
AGA	CGT	CAG	CCT	ATC	CCC	AAG	GAC	CGT	CGG	TCC	ACG	GGC	AAG	TCC	TGG	243
Arg	Arg	Gln	Pro	Ile	Pro	Lys	Asp	Arg	Arg	Ser	Thr	Gly	Lys	Ser	Trp	
				65					70					75		
		CCC														291
Gly	Lys	Pro		Tyr	Pro	Trp	Pro	Leu	Tyr	Gly	Asn	Glu	Gly	Cys	Gly	
			80					85					90			
		~~~														
		GGA														339
Trp	Ala	Gly	Trp	Leu	Leu	Ser		Arg	GLY	Ser	Arg		Ser	Trp	Gly	
		95					100					105		•		
CCC	מרמ	GAC	CCC	CGG	CGT	AGG	TCG	ccc	חתת	ጥጥር	CCT	ממיתי	27			
		Asp										IAA	37	0		
	110	····		9		115	501	**** 9	ASII		120					
											120					
(2)	IN	FORM	ATIO	N FO	R SE	Q ID	NO:	12:								
((i)	SEO	UENC	Е СН	ARAC'	TERT.	STIC	s.						-		
·	•	(A			TH:				ids							
		(B)			: am:											
		(D))	горо	LOGY	: li	near									
(ii)	MOLI	ECULI	E TY	PE: I	prote	ein									
(xi)	SEQU	JENCI	E DES	SCRII	PTIO	N: SI	EQ II	ои о	:12:						
Met	Ser '	Thr]	[le E	Pro I	Lys I	Pro (31n <i>l</i>	Arg 1	Lys '	Thr 1	lvs)	Ara 1	Asn '	Thr 1	Asn	
			5		-				LO		4 - -	J •		15		

Arg Arg Pro Gln Asp Val Lys Phe Pro Gly Gly Gln Ile Val Gly

Gly Val Tyr Leu Leu Pro Arg Arg Gly Pro Arg Leu Gly Val Arg Ala
35 40 45

Thr Arg Lys Thr Ser Glu Arg Ser Gln Pro Arg Gly Arg Arg Gln Pro 50 55 60

Ile Pro Lys Asp Arg Arg Ser Thr Gly Lys Ser Trp Gly Lys Pro Gly
70 75 80

Tyr Pro Trp Pro Leu Tyr Gly Asn Glu Gly Cys Gly Trp Ala Gly Trp 85 90 95

Leu Leu Ser Pro Arg Gly Ser Arg Pro Ser Trp Gly Pro Thr Asp Pro
100 105 110

Arg Arg Ser Arg Asn Leu Gly 115 120

(2) INFORMATION FOR SEQ ID NO:13:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 378 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (iii) HYPOTHETICAL: no
- (iv) ANTI-SENSE: no
- (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 16-375

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

AGO	BAGG	GTTT	TTC												CC AA	
				Me	et Se	r Th	r Il		O Ly	ys Pı	co G	ln Ai	g Ly	ys Tł	ır Ly	s
5 10																
CGT	' AAC	C ACC	C AAC	C CG1	CGC	CCA	CAG	GAC	: GTC	: AAG	TTC	c ccc	GGT	י הפר	GGT	99
															Gly	
		15					20			-		25	•	4	1	
CAG	ATC	GTI	GGI	GGA	GTT	TAC	TTG	TTG	CCG	CGC	AGG	GGC	CCI	AGA	TTG	147
Gln	Ile	Val	Gly	Gly	Val	Tyr	Leu	Leu	Pro	Arg	Arg	Gly	Pro	Arg	Leu	
	30					35					40					
~~~																
															GGT	195
45	vaı	Arg	Ата	Thr	Arg	Lys	Thr	Ser	Glu		Ser	Gln	Pro	Arg	_	
43					50					55					60	
AGA	CGT	CAG	CCT	ATC	CCC	AAG	GCA	CGT	CGG	TCC	GAG	GGC	AGG	TCC	TGG	243
					Pro											~
				65					70			-	J	75	•	
														_		
					CCT											291
Ala	Gln	Pro	Gly	Tyr	Pro	Trp	Pro	Leu	Tyr	Gly	Asn	Glu	Gly	Cys	Gly	
			80					85					90			
TO C	000	003	maa	~~~					Δ.							
					CTG											339
115	AIA	95	пр	neu	Leu	ser		Arg	GIY	Ser	Arg		Ser	Trp	Gly	
		75					100					105				
CCC	ACA	GAC	CCC	CGG	CGT	AGG	TCG	CGC	AAT	TTG	GGT	TAA	37	78		
					Arg											
	110					115					120					

(2) INFORMATION FOR SEQ ID NO:14:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 120 amino acids
  - (B) TYPE: amino acid
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

Met Ser Thr Ile Pro Lys Pro Gln Arg Lys Thr Lys Arg Asn Thr Asn 5 10 15

Arg Arg Pro Gln Asp Val Lys Phe Pro Gly Gly Gln Ile Val Gly
20 25 30

Gly Val Tyr Leu Leu Pro Arg Arg Gly Pro Arg Leu Gly Val Arg Ala 35 40 45

Thr Arg Lys Thr Ser Glu Arg Ser Gln Pro Arg Gly Arg Arg Gln Pro 50 55 60

Ile Pro Lys Ala Arg Arg Ser Glu Gly Arg Ser Trp Ala Gln Pro Gly
70 75 80

Tyr Pro Trp Pro Leu Tyr Gly Asn Glu Gly Cys Gly Trp Ala Gly Trp
85 90 95

Leu Leu Ser Pro Arg Gly Ser Arg Pro Ser Trp Gly Pro Thr Asp Pro

Arg Arg Ser Arg Asn Leu Gly 115 120

- (2) INFORMATION FOR SEQ ID NO:15:
  - (i) SEQUENCE CHARACTERISTICS:

	(ii)	MOLECU	JLE TYPE	Geno	omic DNA	Ą								
	(iii)	нүротн	HETICAL:	no										
	(iv) ANTI-SENSE: no													
	(ix)	FEATUR (A) (B) SEQUEN	E:  NAME/KE  LOCATIO  CE DESCR	N: 16	-378	ID NO	D:15	:						
•	AGGAGGGT'	TT TTCA			CAT CA His Hi 5								51	
	TCC GTC A			Pro A				Val			_		99	
	ACC GGA C Thr Gly C						Ile						147	
	AAG GGG G Lys Gly G 45					His							195	
	GAG CTC G	la Ala											243	
					08									

(A)

(B)

(C) (D) LENGTH: 381 base pairs

TYPE: nucleic acid STRANDEDNESS: single

TOPOLOGY: linear

- TAC CGC GGT CTT GAC GTG TCT GTC ATC CCG ACC AGC GGC GAT GTT GTC 291
  Tyr Arg Gly Leu Asp Val Ser Val Ile Pro Thr Ser Gly Asp Val Val 80 85 90
- GTC GTG TCA ACC GAT GCT CTC ATG ACT GGC TTT ACC GGC GAC TTC GAC 339

  Val Val Ser Thr Asp Ala Leu Met Thr Gly Phe Thr Gly Asp Phe Asp
  95 100 105

TCG GTG ATA GAC TGC AAT ACG GGT ACC GAG CTC GAA TTC TAA 381 Ser Val Ile Asp Cys Asn Thr Gly Thr Glu Leu Glu Phe 110 115 120

- (2) INFORMATION FOR SEQ ID NO:16:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 121 amino acids
    - (B) TYPE: amino acid
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

Met Pro Ile His His His His His Gly Pro Gly Ser Val Thr Val 5 10 15

Ser His Pro Asn Ile Glu Glu Val Ala Leu Ser Thr Thr Gly Glu Ile 20 25 30

Pro Phe Tyr Gly Lys Ala Ile Pro Leu Glu Val Ile Lys Gly Gly Arg

His Leu Ile Phe Cys His Ser Lys Lys Lys Cys Asp Glu Leu Ala Ala 50 55 60

Lys Leu Val Ala Leu Gly Ile Asn Ala Val Ala Tyr Tyr Arg Gly Leu

Asp Val Ser Val Ile Pro Thr Ser Gly Asp Val Val Val Val Ser Thr 85 90 95

Asp Ala Leu Met Thr Gly Phe Thr Gly Asp Phe Asp Ser Val Ile Asp 100 105 110

Cys Asn Thr Gly Thr Glu Leu Glu Phe 115 120

- (2) INFORMATION FOR SEQ ID NO:17:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 774 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: Genomic DNA
  - (iii) HYPOTHETICAL: no
  - (iv) ANTI-SENSE: no
  - (ix) FEATURE:
    - (A) NAME/KEY: CDS
    - (B) LOCATION: 16-771
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

AGGAGGGTTT TTCAT ATG TCC CCT ATT CTA GGT TAT TGG AAA ATT AAG GGC 51

Met Ser Pro Ile Leu Gly Tyr Trp Lys Ile Lys Gly

5 10

CTT GTG CAA CCC ACT CGA CTT CTT TTG GAA TAT CTT GAA GAA AAA TAT 99

Let	ı Val	. Glr 15	Pro	Th:	Arg	, Leu	Leu 20	Leu	ı Glu	туг	Leu	Glu 25	Glu	Lys	Tyr	
															AAA Lys	147
											CCT Pro					195
											ATA Ile					243
											GAG Glu					291
											TAC Tyr					339
											GTT Val 120					387
											CGT Arg					435
			Asn								GAC Asp		Met			483

GAC GCT CTT GAT GTT TTA TAC ATG GAC CCA ATG TGC CTG GAT GCG 531

Asp	Ala	Leu	160		Val	Leu	Tyr	Met 165		Pro	Met	Cys	Leu 170	Asp	Ala	
TTC	CCA	AAA	TTA	GTT	TGT	TTT	AAA	AAA	CGT	ATT	GAA	GCT	ATC	CCA	CAA	579
Phe	Pro	Lys	Leu	Val	Cys	Phe	Lys	Lys	Arg	Ile	Glu	Ala	Ile	Pro	Gln	
		175					180					185				
						TCC										627
Ile		Lys	Tyr	Leu	Lys	Ser	Ser	Lys	Tyr	Ile	Ala	Trp	Pro	Leu	Gln	
	190					195					200					
GGC	TGG	CAA	GCC	ACG	TTT	GGT	GGT	GGC	GAC	CAT	CCT	CCA	AAA	TCG	GAT	675
Gly	Trp	Gln	Ala	Thr	Phe	Gly	Gly	Gly	Asp	His	Pro	Pro	Lys	Ser	Asp	
205					210					215					220	
CTG	GTT	CCG	CGT	GGA	TCC	GAC	GTC	AAG	TTC	CCG	GGT	GGC	GGT	CAG	ATC	723
Leu	Val	Pro	Arg	Gly	Ser	Asp	Val	Lys	Phe	Pro	Gly	Gly	Gly	Gln	Ile	
				225					230					235		
GTT	GGT	GGA	GTT	TAC	TTG	TTG	CCG	CGC	AGG	GAA	TTC	ATC	GTG	ACT	GAC	771
Val	Gly	Gly	Val	Tyr	Leu	Leu	Pro	Arg	Arg	Glu	Phe	Ile	Val	Thr	Asp	
			240					245					250	_		

TGA 774

- (2) INFORMATION FOR SEQ ID NO:18:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 252 amino acids
    - (B) TYPE: amino acid
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

- Met Ser Pro Ile Leu Gly Tyr Trp Lys Ile Lys Gly Leu Val Gln Pro 5 10 15
- Thr Arg Leu Leu Glu Tyr Leu Glu Glu Lys Tyr Glu Glu His Leu 20 25 30
- Tyr Glu Arg Asp Glu Gly Asp Lys Trp Arg Asn Lys Lys Phe Glu Leu 35 40 45
- Gly Leu Glu Phe Pro Asn Leu Pro Tyr Tyr Ile Asp Gly Asp Val Lys
  50 55 60
- Leu Thr Gln Ser Met Ala Ile Ile Arg Tyr Ile Ala Asp Lys His Asn 65 70 75 80
- Met Leu Gly Gly Cys Pro Lys Glu Arg Ala Glu Ile Ser Met Leu Glu 85 90 95
- Gly Ala Val Leu Asp Ile Arg Tyr Gly Val Ser Arg Ile Ala Tyr Ser 100 105 110
- Lys Asp Phe Glu Thr Leu Lys Val Asp Phe Leu Ser Lys Leu Pro Glu 115 120 125
- Met Leu Lys Met Phe Glu Asp Arg Leu Cys His Lys Thr Tyr Leu Asn 130 135 140
- Gly Asp His Val Thr His Pro Asp Phe Met Leu Tyr Asp Ala Leu Asp 145 150 155 160
- Val Val Leu Tyr Met Asp Pro Met Cys Leu Asp Ala Phe Pro Lys Leu 165 170 175
- Val Cys Phe Lys Lys Arg Ile Glu Ala Ile Pro Gln Ile Asp Lys Tyr 180 185 190

Leu Lys Ser Ser Lys Tyr Ile Ala Trp Pro Leu Gln Gly Trp Gln Ala 195 200 205

Thr Phe Gly Gly Asp His Pro Pro Lys Ser Asp Leu Val Pro Arg 210 215 220

Gly Ser Asp Val Lys Phe Pro Gly Gly Gly Gln Ile Val Gly Gly Val
225 230 235 240

Tyr Leu Leu Pro Arg Arg Glu Phe Ile Val Thr Asp 245 250

- (2) INFORMATION FOR SEQ ID NO:19:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 31 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: Genomic DNA
  - (iii) HYPOTHETICAL: no
  - (iv) ANTI-SENSE: no
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

### CCAAAATTAC CATATGCCAA TCGTGCAGAA C

- (2) INFORMATION FOR SEQ ID NO:20:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 33 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single

- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (iii) HYPOTHETICAL: no
- (iv) ANTI-SENSE: no
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

### GACCCGGCCA TAAGGCAAGA GTTTTGTAAT AAG

- (2) INFORMATION FOR SEQ ID NO:21:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 34 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: Genomic DNA
  - (iii) HYPOTHETICAL: no
  - (iv) ANTI-SENSE: yes
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

## GATCCTTATT ACAAAACTCT TGCCTTATGG CCGG

- (2) INFORMATION FOR SEQ ID NO:22:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 28 base pairs
    - (B) TYPE: nucleic acid

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (iii) HYPOTHETICAL: no
- (iv) ANTI-SENSE: no
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

## GCTCGCATAT GAGCACGATT CCCAAACC

- (2) INFORMATION FOR SEQ ID NO:23:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 32 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: Genomic DNA
  - (iii) HYPOTHETICAL: no
  - (iv) ANTI-SENSE: yes
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

### GACGAATTCT TAACCCAAAT TGCGCGACCT AC

- (2) INFORMATION FOR SEQ ID NO:24:
  - (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 66 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (iii) HYPOTHETICAL: no
- (iv) ANTI-SENSE: no
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

GATCCGACGT CAAGTTCCCG GGTGGCGGTC AGATCGTTGG TGGAGTTTAC TTGTTGCCGC GCAGGG

- (2) INFORMATION FOR SEQ ID NO:25:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 66 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: Genomic DNA
  - (iii) HYPOTHETICAL: no
  - (iv) ANTI-SENSE: yes
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

AATTCCCTGC GCGGCAACAA GTAAACTCCA CCAACGATCT GACCGCCACC CGGGAACTTG
ACGTCG

- (2) INFORMATION FOR SEQ ID NO:26:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 28 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: Genomic DNA
  - (iii) HYPOTHETICAL: no
  - (iv) ANTI-SENSE: no
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

#### GGAATTCCAT ATGTCCCCTA TACTAGGT

- (2) INFORMATION FOR SEQ ID NO:27:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 28 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: Genomic DNA
  - (iii) HYPOTHETICAL: no
  - (iv) ANTI-SENSE: yes
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

#### CGGAATTCTC ACCTGCGCGG CAACAA

- (2) INFORMATION FOR SEQ ID NO:28:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 52 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: Genomic DNA
  - (iii) HYPOTHETICAL: no
  - (iv) ANTI-SENSE: no
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

#### TATGCCTATT CATCATCATC ATCATCATGG CCCGGGAATT CTAAGTAAGT AG

- (2) INFORMATION FOR SEQ ID NO:29:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 54 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: Genomic DNA
  - (iii) HYPOTHETICAL: no
  - (iv) ANTI-SENSE: yes
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

GATCCTACTT ACTTAGAATT CCCGGGCCAT GATGATGATG ATGATGAATA GGCA